

M10/M20

Pressels moulded in OPAL (except *)

| Face colour: | Hidden legends | RST | | | | RET | | | | | REB | | |
|-----------------------|------------------|----------------------------|---|------------------------|------------------------------------|-------------------------------------|-------------------------|-----------------------|----------------------|--------------------------------|---------------------------------|-----------------------------|------------------|
| | Smoked Grey | Linished Stainless tactile | Linished Stainless tactile (exit floor) | Linished Brass tactile | Linished Stainless Braille/tactile | GREEN anodised tactile (exit floor) | YELLOW anodised tactile | BLUE anodised tactile | RED anodised tactile | Black anodised Braille/tactile | YELLOW anodised Braille/tactile | GREEN anodised Braille exit | |
| Pressel moulding no.: | 551250-023002nnn | 551250-231020nnn | 551250-231022nnn | 551250-233020nnn | 551250-241020nnn | 551250-232020nnn | 551250-232122nnn | 551250-232220nnn | 551250-232320nnn | 551250-232420nnn | 551250-242020nnn | 551250-242220nnn | 551250-242122nnn |
| Pressel assembly no.: | | 551250-631020nnn | 551250-631022nnn | 551250-633020nnn | 551250-641020nnn | 551250-632020nnn | 551250-632122nnn | 551250-632220nnn | 551250-632320nnn | 551250-632420nnn | 551250-642020nnn | 551250-642220nnn | 551250-642122nnn |
| LEGEND | Description | | | | | | | | | | | | |
| -4 | | 184 | | | 184 | 184 | | | | | 184 | | |
| -3 | | 183 | | | 183 | 183 | | | | | 183 | | |
| -2 | | 182 | | | 182 | 182 | | | | | 182 | | |
| -1 | | 181 | | | 181 | 181 | | | | | 181 | | 181 |
| 0 | | 361 | 361 | | 361 | 361 | 361 | | | | 361 | | 361 |
| 1 | | 101 | | | 101 | 101 | 101 | | | | 101 | | 101 |
| 2 | | 102 | | | 102 | 102 | | | | | 102 | | 102 |
| 3 | | 103 | | | 103 | 103 | | | | | 103 | | |
| 4 | | 104 | | | 104 | 104 | | | | | 104 | | |
| 5 | | 105 | | | 105 | 105 | | | | | 105 | | |
| 6 | | 106 | | | 106 | 106 | | | | | 106 | | |
| 7 | | 107 | | | 107 | 107 | | | | | 107 | | |
| 8 | | 108 | | | 108 | 108 | | | | | 108 | | |
| 9 | | 109 | | | 109 | 109 | | | | | 109 | | |
| 10 | | 110 | | | 110 | 110 | | | | | 110 | | |
| 11 | | 111 | | | 111 | 111 | | | | | 111 | | |
| 12 | | 112 | | | 112 | 112 | | | | | 112 | | |
| 13 | | 113 | | | 113 | 113 | | | | | 113 | | |
| 14 | | 114 | | | 114 | 114 | | | | | 114 | | |
| 15 | | 115 | | | 115 | 115 | | | | | 115 | | |
| 16 | | 116 | | | 116 | 116 | | | | | 116 | | |
| 17 | | 117 | | | 117 | 117 | | | | | 117 | | |
| 18 | | 118 | | | 118 | 118 | | | | | 118 | | |
| 19 | | 119 | | | 119 | 119 | | | | | 119 | | |
| 20 | | 120 | | | 120 | 120 | | | | | 120 | | |
| 21 | | 121 | | | 121 | 121 | | | | | 121 | | |
| 22 | | 122 | | | 122 | 122 | | | | | 122 | | |
| 23 | | 123 | | | 123 | 123 | | | | | 123 | | |
| 24 | | 124 | | | 124 | 124 | | | | | 124 | | |
| 25 | | 125 | | | 125 | 125 | | | | | 125 | | |
| 26 | | 126 | | | 126 | 126 | | | | | 126 | | |
| 27 | | 127 | | | 127 | 127 | | | | | 127 | | |
| 28 | | 128 | | | 128 | 128 | | | | | 128 | | |
| 29 | | 129 | | | 129 | 129 | | | | | 129 | | |
| 30 | | 130 | | | 130 | 130 | | | | | 130 | | |
| 31 | | 131 | | | 131 | 131 | | | | | 131 | | |
| 32 | | 132 | | | 132 | 132 | | | | | 132 | | |
| 33 | | 133 | | | 133 | 133 | | | | | 133 | | |
| 34 | | 134 | | | 134 | 134 | | | | | 134 | | |
| 35 | | 135 | | | 135 | 135 | | | | | 135 | | |
| 36 | | 136 | | | 136 | 136 | | | | | 136 | | |
| 37 | | 137 | | | 137 | 137 | | | | | 137 | | |
| 38 | | 138 | | | 138 | 138 | | | | | 138 | | |
| 39 | | 139 | | | 139 | 139 | | | | | 139 | | |
| 40 | | 140 | | | 140 | 140 | | | | | 140 | | |
| 41 | | 141 | | | 141 | 141 | | | | | 141 | | |
| 42 | | 142 | | | 142 | 142 | | | | | 142 | | |
| 43 | | 143 | | | 143 | 143 | | | | | 143 | | |
| 44 | | 144 | | | 144 | 144 | | | | | 144 | | |
| 45 | | 145 | | | 145 | 145 | | | | | 145 | | |
| 46 | | 146 | | | 146 | 146 | | | | | 146 | | |
| 47 | | 147 | | | 147 | 147 | | | | | 147 | | |
| 48 | | 148 | | | 148 | 148 | | | | | 148 | | |
| 49 | | 149 | | | 149 | 149 | | | | | 149 | | |
| 50 | | 150 | | | 150 | 150 | | | | | 150 | | |
| 51 | | 151 | | | 151 | 151 | | | | | 151 | | |
| 52 | | 152 | | | 152 | 152 | | | | | 152 | | |
| 53 | | 153 | | | 153 | 153 | | | | | 153 | | |
| 54 | | 154 | | | 154 | 154 | | | | | 154 | | |
| 55 | | 155 | | | 155 | 155 | | | | | 155 | | |
| 56 | | 156 | | | 156 | 156 | | | | | 156 | | |
| 57 | | 157 | | | 157 | 157 | | | | | 157 | | |
| 58 | | 158 | | | 158 | 158 | | | | | 158 | | |
| 59 | | 159 | | | 159 | 159 | | | | | 159 | | |
| 60 | | 160 | | | 160 | 160 | | | | | 160 | | |
| 61 | | 161 | | | 161 | 161 | | | | | 161 | | |
| 62 | | 162 | | | 162 | 162 | | | | | 162 | | |
| 63 | | 163 | | | 163 | 163 | | | | | 163 | | |
| 64 | | 164 | | | 164 | 164 | | | | | 164 | | |

| M10/M20 | | Pressels moulded in OPAL (except *) | | | | | | | | | | | | |
|-----------------------|------------------|--|--|-----------------------|-----------------------------------|------------------|-------------------------------------|-------------------------|-----------------------|----------------------|--------------------------------|---------------------------------|-----------------------------|--|
| Face colour: | Hidden legends | RST | | | | RSB | RET | | | | | REB | | |
| | Smoked Grey | Unished Stainless tactile | Unished Stainless tactile (exit floor) | Unished Brass tactile | Unished Stainless Braille/tactile | tactile | GREEN anodised tactile (exit floor) | YELLOW anodised tactile | BLUE anodised tactile | RED anodised tactile | Black anodised Braille/tactile | YELLOW anodised Braille/tactile | GREEN anodised Braille exit | |
| Pressel moulding no.: | 551250-023002nnn | 551250-231020nnn | 551250-231022nnn | 551250-233020nnn | 551250-241020nnn | 551250-232020nnn | 551250-232122nnn | 551250-232220nnn | 551250-232320nnn | 551250-232420nnn | 551250-242020nnn | 551250-242220nnn | 551250-242122nnn | |
| Pressel assembly no.: | | 551250-631020nnn | 551250-631022nnn | 551250-633020nnn | 551250-641020nnn | 551250-632020nnn | 551250-632122nnn | 551250-632220nnn | 551250-632320nnn | 551250-632420nnn | 551250-642020nnn | 551250-642220nnn | 551250-642122nnn | |
| LEGEND | Description | | | | | | | | | | | | | |
| 65 | | | 165 | | | | | | | | | | | |
| 66 | | | 166 | | | | | | | | | | | |
| 67 | | | 167 | | 167 | | | | | | | | | |
| 68 | | | 168 | | | | | | | | | | | |
| 69 | | | 169 | | | | | | | | | | | |
| 70 | | | 170 | | | | | | | | | | | |
| 71 | | | 171 | | | | | | | | | | | |
| 72 | | | 172 | | | | | | | | | | | |
| 75 | | | 175 | | | | | | | | | | | |
| 76 | | | 176 | | | | | | | | | | | |
| 77 | | | 177 | | | | | | | | | | | |
| 78 | | | 178 | | | | | | | | | | | |
| 79 | | | 179 | | | | | | | | | | | |
| 80 | | | 180 | | | | | | | | | | | |
| 81 | | | 081 | | | | | | | | | | | |
| 82 | | | 082 | | | | | | | | | | | |
| 85 | | | 085 | | | | | | | | | | | |
| 86 | | | 086 | | | | | | | | | | | |
| 87 | | | 087 | | | | | | | | | | | |
| 88 | | | 088 | | | | | | | | | | | |
| 89 | | | 089 | | | | | | | | | | | |
| 90 | | | 090 | | | | | | | | | | | |
| 91 | | | 091 | | | | | | | | | | | |
| 92 | | | 092 | | | | | | | | | | | |
| 95 | | | 095 | | | | | | | | | | | |
| 96 | | | 096 | | | | | | | | | | | |
| 97 | | | 097 | | | | | | | | | | | |
| 98 | | | 098 | | | | | | | | | | | |
| 99 | | | 099 | | | | | | | | | | | |
| 100 | | | 200 | | | | | | | | | | | |
| 101 | | | 901 | | | | | | | | | | | |
| 102 | | | 902 | | | | | | | | | | | |
| 103 | | | 903 | | 903 | | | | | | | | | |
| 106 | | | 906 | | | | | | | | | | | |
| 107 | | | 907 | | | | | | | | | | | |
| 108 | | | 908 | | | | | | | | | | | |
| 109 | | | 909 | | | | | | | | | | | |
| 110 | | | 910 | | | | | | | | | | | |
| 111 | | | 911 | | | | | | | | | | | |
| 112 | | | 912 | | | | | | | | | | | |
| 113 | | | 913 | | | | | | | | | | | |
| 115 | | | 915 | | | | | | | | | | | |
| 116 | | | 916 | | | | | | | | | | | |
| 117 | | | 917 | | | | | | | | | | | |
| 118 | | | 918 | | | | | | | | | | | |
| 1R | | | | | | 431 | | | | | 431 | | | |
| 2 ARROWS | | | 527 | | 527 | 527 | | | | | | | | |
| 2R | | | | | | 432 | | | | | | | | |
| 3A | | | 233 | | 233 | | | | | | | | | |
| 3R | | | | | | 433 | | | | | | | | |
| *1 | Star 1 | | 214 | | | | | | | | 214 | | | |
| *G | Star G | | 218 | | | | | | | | 218 | | | |
| *L | Star L | | 216 | | | 216 | | | | | | | | |
| *M | Star M | | | | | | | | | | 635 | | | |
| 12R | | | | | | | | | | | 644 | | | |
| 13A | | | 580 | | 580 | | | | | | | | | |
| 13R | | | | | | | | | | | 645 | | | |
| 23A | | | 581 | | 581 | | | | | | | | | |
| 33A | | | 658 | | 658 | | | | | | | | | |
| A | | | 230 | | | | | | | | 230 | | | |
| ALARM | Flush 212020 | | | | | 215 | | | | | | | | |
| ALARM | Symbol | | 211 | | 211 | 211 | | 211 | | | 211 | 211 | | |
| Alarm Activated | | 23005001 | | | | | | | | | | | | |
| ARROW | Kone | | | | | | | | | | | | | |
| ARROW DOWN | | | 202 | | 202 | 202 | | | | | 202 | | | |
| ARROW UP | | | 201 | | 201 | 201 | | | | | 201 | | | |
| B | | | 241 | | 241 | 241 | 241 | | | | 241 | | | |
| B1 | | | 251 | | 251 | 251 | | | | | 251 | | | |
| B2 | | | 252 | | 252 | 252 | | | | | 252 | | | |

| M10/M20 | | Pressels moulded in OPAL (except *) | | | | | | | | | | | | |
|-------------------------------|------------------|--|--|-----------------------|-----------------------------------|------------------|-------------------------------------|-------------------------|-----------------------|----------------------|--------------------------------|---------------------------------|-----------------------------|--|
| Face colour: | Hidden legends | RST | | | | RSB | RET | | | | | REB | | |
| | Smoked Grey | Unished Stainless tactile | Unished Stainless tactile (exit floor) | Unished Brass tactile | Unished Stainless Braille/tactile | tactile | GREEN anodised tactile (exit floor) | YELLOW anodised tactile | BLUE anodised tactile | RED anodised tactile | Black anodised Braille/tactile | YELLOW anodised Braille/tactile | GREEN anodised Braille exit | |
| Pressel moulding no.: | 551250-023002nnn | 551250-231020nnn | 551250-231022nnn | 551250-233020nnn | 551250-241020nnn | 551250-232020nnn | 551250-232122nnn | 551250-232220nnn | 551250-232320nnn | 551250-232420nnn | 551250-242020nnn | 551250-242220nnn | 551250-242122nnn | |
| Pressel assembly no.: | | 551250-631020nnn | 551250-631022nnn | 551250-633020nnn | 551250-641020nnn | 551250-632020nnn | 551250-632122nnn | 551250-632220nnn | 551250-632320nnn | 551250-632420nnn | 551250-642020nnn | 551250-642220nnn | 551250-642122nnn | |
| LEGEND | Description | | | | | | | | | | | | | |
| B2R | | | | | | | | | | | | 647 | | |
| B3 | | 253 | | | 253 | 253 | | | | | | 253 | | |
| B4 | | 254 | | | 254 | 254 | | | | | | 254 | | |
| B5 | | 255 | | | 255 | 255 | | | | | | 255 | | |
| BLANK | No legend | 532 | | 532 | 231020532 | 532 | 532 | | | | | | | |
| BR | | | | | | 250 | | | | | | | | |
| BULLSEYE | Round Aperture | 217 | | | | 217 | | | | | | | | |
| buzzer grille | Pepperpot | (-211020) 356 | | | | | | | | | | | | |
| C | | | | | | 261 | | | | | | | | |
| CALL | 10mm high | | | | | 551 | | | | | | | | |
| CALL CAMCEL | flush -212020 | | | | | 552 | | | | | | | | |
| CL | | 269 | | | 269 | | | | | | | | | |
| Common (action - Established) | Symbol | 23004001 | | | | | | | | | | | | |
| D | | 271 | | | 271 | 271 | | | | | | 271 | | |
| D/C | symbol > < | 213 | | | 213 | 213 | | | | | | 213 | | |
| D/C | Symbol Kone | | | | | | | | | | | | | |
| D/O | symbol < > | 212 | | | 212 | 212 | | | | | | 212 | | |
| D/O | Symbol Kone | | | | | | | | | | | | | |
| DH | | | | | | | | | | | | 636 | | |
| DOOR CLOSE | flush -212020... | | | | | 540 | | | | | | | | |
| DOOR OPEN | flush -212020... | | | | | 541 | | | | | | | | |
| E | | 281 | | | | | 281 | | | | | | | |
| E0 | E Zero | | | | | | | | | | | | | |
| Emergency Light | | 23003001 | | | | | | | | | | | | |
| EN | | 275 | | | 275 | | | | | | | | | |
| F | | | | | | 283 | | | | | | | | |
| F0 | F Zero | | | | | | | | | | | | | |
| FAN | symbol 3 blade | | | | | 650 | | | | | | | | |
| G | | 291 | 291 | | 291 | 291 | 291 | | | | 291 | | 291 | |
| G1 | | 295 | | | | | | | | | | | | |
| G2 | | 296 | | | | | | | | | | | | |
| H | | | | | 298 | | | | | | | | | |
| IL1 | | | | | | 712 | | | | | | | | |
| IL2 | | | | | | 713 | | | | | | | | |
| K | | 301 | | | 301 | | | | | | | | | |
| L | | 302 | | | 302 | 302 | | | | | | | | |
| L0 | L Zero | | | | | | | | | | | | | |
| L1 | | 311 | | | | | | | | | | | | |
| L2 | | 312 | | | | | | | | | | | | |
| L3 | | 313 | | | | | | | | | | | | |
| L5 | | 315 | | | | | | | | | | | | |
| LB | | | | | 303 | 306 | | | | | 303 | | | |
| LG | | 305 | | | 305 | 305 | | | | | 305 | | | |
| LG2 | | | | | 322 | | | | | | | | | |
| LG2 | | | | | 322 | | | | | | | | | |
| LIFT | Symbol 2 arrows | 527 | | | 527 | 527 | | | | | | | | |
| LIFT HERE | (6mm, flush) | | | | | | | | | | | | | |
| LL | | 306 | | | 306 | | | | | | | | | |
| M | | 341 | | | 341 | 341 | | | | | 341 | | | |
| M1 | | | | | | 351 | | | | | | | | |
| M1-1 | | 741 | | | | | | | | | | | | |
| M1-2 | | 742 | | | | | | | | | | | | |
| M1-3 | | 743 | | | | | | | | | | | | |
| M1-5 | | 745 | | | | | | | | | | | | |
| M2 | | | | | | 352 | | | | | | | | |
| M2-1 | | 746 | | | | | | | | | | | | |
| M2-2 | | 747 | | | | | | | | | | | | |
| M3-1 | | 738 | | | | | | | | | | | | |
| M3-2 | | 739 | | | | | | | | | | | | |
| M4-1 | | 748 | | | | | | | | | | | | |
| M4-2 | | 749 | | | | | | | | | | | | |
| M4-3 | | 750 | | | | | | | | | | | | |
| M5 | | 410 | | | | | | | | | | | | |
| M6 | | 395 | | | | | | | | | | | | |
| MR | | | | | | 350 | | | | | 350 | | | |
| No Entry | Symbol | 23006001 | | | | | | | | | | | | |
| NS | | 360 | | | 360 | | | | | | | | | |
| Out Of Service | | 23002001 | | | | | | | | | | | | |
| Overload | Symbol | 23007001 | | | | | | | | | | | | |

| M10/M20 | | Pressels moulded in OPAL (except *) | | | | | | | | | | | | |
|-----------------------|------------------|--|---|------------------------|------------------------------------|------------------|-------------------------------------|-------------------------|-----------------------|----------------------|--------------------------------|---------------------------------|-----------------------------|--|
| Face colour: | Hidden legends | RST | | | | RSB | RET | | | | | REB | | |
| | Smoked Grey | Linished Stainless tactile | Linished Stainless tactile (exit floor) | Linished Brass tactile | Linished Stainless Braille/tactile | tactile | GREEN anodised tactile (exit floor) | YELLOW anodised tactile | BLUE anodised tactile | RED anodised tactile | Black anodised Braille/tactile | YELLOW anodised Braille/tactile | GREEN anodised Braille exit | |
| Pressel moulding no.: | 551250-023002nnn | 551250-231020nnn | 551250-231022nnn | 551250-233020nnn | 551250-241020nnn | 551250-232020nnn | 551250-232122nnn | 551250-232220nnn | 551250-232320nnn | 551250-232420nnn | 551250-242020nnn | 551250-242220nnn | 551250-242122nnn | |
| Pressel assembly no.: | | 551250-631020nnn | 551250-631022nnn | 551250-633020nnn | 551250-641020nnn | 551250-632020nnn | 551250-632122nnn | 551250-632220nnn | 551250-632320nnn | 551250-632420nnn | 551250-642020nnn | 551250-642220nnn | 551250-642122nnn | |
| LEGEND | Description | | | | | | | | | | | | | |
| P | | | 381 | | | 381 | 381 | 381 | | | | 381 | | |
| P1 | | | 391 | | | 391 | 391 | | | | | 391 | | |
| P2 | | | 392 | | | 392 | 392 | | | | | 392 | | |
| P3 | | | 393 | | | 393 | 393 | | | | | 393 | | |
| P4 | | | 394 | | | 394 | 394 | | | | | 394 | | |
| P5 | | | | | | 390 | | | | | | | | |
| PH1 | | | | | | | 714 | | | | | | | |
| PH2 | | | | | | | 715 | | | | | | | |
| R | | | 421 | | | 421 | 421 | | | | | | | |
| R1 | | | 427 | | | | | | | | | | | |
| R2 | | | 428 | | | | | | | | | | | |
| R3 | | | 429 | | | | | | | | | | | |
| R4 | | | 430 | | | | | | | | | | | |
| RC | | | 422 | | | | | | | | | | | |
| RCA | | | 420 | | | | 422 | | | | | | | |
| Rear D/C | Symbol (Can) | | 716 | | | | | | | | | | | |
| Rear D/O | Symbol | | | | | 711 | | | | | | | | |
| Rear D/O | Symbol (Can) | | 715 | | | | | | | | | | | |
| RL | | | | | | 713 | | | | | | | | |
| S | | | 441 | | | 441 | | | | | | 441 | | |
| SB | | | | | | 442 | | 442 | | | | | | |
| SEND | 10mm high | | | | | 559 | | | | | | | | |
| SS | | | 446 | | | | | | | | | | | |
| ST | | | 447 | | | 447 | | | | | | | | |
| STOP | Symbol | | | | | 228 | | | | | 228 | | | |
| T | | | 491 | | | | | | | | | | | |
| TELEPHONE | Symbol | | 225 | | | 225 | | 225 | | | 225 | 225 | | |
| U | | | 498 | | | 498 | | | | | | | | |
| UB | | | 493 | | | 493 | | | | | | 493 | | |
| UG | | | 494 | | | 494 | | | | | | | | |
| WHEELCHAIR | Symbol | | | | | | | | | 113 | | | | |

| M10/M20 | | Pressels moulded in OPAL (except *) | | | | | | | | | | | | |
|-----------------------|--------------------|--|---|------------------------|------------------------------------|------------------|-------------------------------------|-------------------------|-----------------------|----------------------|--------------------------------|---------------------------------|-----------------------------|--|
| Face colour: | Hidden legends | RST | | | | RSB | RET | | | | | REB | | |
| | Smoked Grey | Finished Stainless tactile | Finished Stainless tactile (exit floor) | Finished Brass tactile | Finished Stainless Braille/tactile | tactile | GREEN anodised tactile (exit floor) | YELLOW anodised tactile | BLUE anodised tactile | RED anodised tactile | Black anodised Braille/tactile | YELLOW anodised Braille/tactile | GREEN anodised Braille exit | |
| Pressel moulding no.: | 551250-023002nnn | 551250-231020nnn | 551250-231022nnn | 551250-233020nnn | 551250-241020nnn | 551250-232020nnn | 551250-232122nnn | 551250-232220nnn | 551250-232320nnn | 551250-232420nnn | 551250-242020nnn | 551250-242220nnn | 551250-242122nnn | |
| Pressel assembly no.: | | 551250-631020nnn | 551250-631022nnn | 551250-633020nnn | 551250-641020nnn | 551250-632020nnn | 551250-632122nnn | 551250-632220nnn | 551250-632320nnn | 551250-632420nnn | 551250-642020nnn | 551250-642220nnn | 551250-642122nnn | |
| LEGEND | Description | | | | | | | | | | | | | |